



### NOTIFICATION

The following notification is being circulated in accordance with Article 10.6.

<b>1. Notifying Member:</b> <u>Brazil</u> <b>If applicable, name of local government involved (Articles 3.2 and 7.2):</b>
<b>2. Agency responsible:</b> National Institute of Metrology, Quality and Technology (INMETRO)  <b>Name and address (including telephone and fax numbers, email and website addresses, if available) of agency or authority designated to handle comments regarding the notification shall be indicated if different from above:</b>  National Institute of Metrology, Quality and Technology – INMETRO Telephone: +(55) 21 2145.3817 Email: <a href="mailto:barreirastecnicas@inmetro.gov.br">barreirastecnicas@inmetro.gov.br</a> Web-site: <a href="http://www.inmetro.gov.br/barreirastecnicas">www.inmetro.gov.br/barreirastecnicas</a>
<b>3. Notified under Article 2.9.2 [x ], 2.10.1 [ ], 5.6.2 [ ], 5.7.1 [ ], other:</b>
<b>4. Products covered (HS or CCCN where applicable, otherwise national tariff heading. ICS numbers may be provided in addition, where applicable):</b>  HS 9025
<b>5. Title, number of pages and language(s) of the notified document:</b> Inmetro Ordinance Nº 90, 19 February 2021. <b>Language(s):</b> Portuguese. <b>Number of pages: 9</b>
<b>6. Description of content:</b> Approves the Metrological Technical Regulation that establishes the minimum conditions that must be observed in the construction and use of thermocompensated alcohol-reading densimeters, set out in the Annex - Consolidated.  The following ordinance is revoked:  - Inmetro Ordinance 601, 9 December 2013, published in the Official Gazette on 11 December 2013, section 01, pages 136 to 137.
<b>7. Objective and rationale, including the nature of urgent problems where applicable:</b> Metrological requirements  Need to establish the criteria to be observed in the manufacture and use of thermocompensated alcohol-reading densimeters.  Compliance with Decree No. 10.139 of 28 November 2019, which provides for the need for revision and consolidation of normative acts, in order to reduce Brazilian regulatory stock
<b>8. Relevant documents:</b> 1) Brazilian Official Gazette 34 on 22 February 2021, section 1, page 50 2) Inmetro Ordinance 90, 19 February 2021 3) Decree No. 10.139 of 28 November 2019  <a href="https://www.in.gov.br/web/dou/-/portaria-n-90-de-19-de-fevereiro-de-2021-304456086">https://www.in.gov.br/web/dou/-/portaria-n-90-de-19-de-fevereiro-de-2021-304456086</a> <a href="http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002704.pdf">http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002704.pdf</a> <a href="http://www.planalto.gov.br/ccivil_03/_ato2019-2022/2019/decreto/D10139.htm">http://www.planalto.gov.br/ccivil_03/_ato2019-2022/2019/decreto/D10139.htm</a>

---

<b>9. Proposed date of adoption:</b> Not applicable <b>Proposed date of entry into force:</b> 01 March 2021.
<b>10. Final date for comments:</b> Not applicable
<b>11. Texts available from: National enquiry point [X] or address, telephone and fax numbers and email and website addresses, if available, of other body:</b> <a href="http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002704.pdf">http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002704.pdf</a>