



### NOTIFICATION

The following notification is being circulated in accordance with Article 10.6.

<b>1. Notifying Member:</b> <u>Brazil</u> <b>If applicable, name of local government involved (Articles 3.2 and 7.2):</b>
<b>2. Agency responsible:</b> National Institute of Metrology, Quality and Technology (INMETRO)  <b>Name and address (including telephone and fax numbers, email and website addresses, if available) of agency or authority designated to handle comments regarding the notification shall be indicated if different from above:</b>  National Institute of Metrology, Quality and Technology – INMETRO Telephone: +(55) 21 2145.3817 Email: <a href="mailto:barreirastecnicas@inmetro.gov.br">barreirastecnicas@inmetro.gov.br</a> Web-site: <a href="http://www.inmetro.gov.br/barreirastecnicas">www.inmetro.gov.br/barreirastecnicas</a>
<b>3. Notified under Article 2.9.2 [x ], 2.10.1 [ ], 5.6.2 [ ], 5.7.1 [ ], other:</b>
<b>4. Products covered (HS or CCCN where applicable, otherwise national tariff heading. ICS numbers may be provided in addition, where applicable):</b>  HS 7017
<b>5. Title, number of pages and language(s) of the notified document:</b> Inmetro Ordinance Nº 91, 19 February 2021. <b>Language(s):</b> Portuguese. <b>Number of pages: 6</b>
<b>6. Description of content:</b> Approves the Metrological Technical Regulation that establishes the criteria to be observed in the manufacture and use of materialized volume measures, 100 mL graduated cylinders with ground glass and lid, set in the Annex- Consolidated.  The following are revoked:  I - Inmetro Ordinance 528, 3 December 2014, published in the Federal Official Gazette on 5 December 2014, section 01, page 119;  II - Inmetro Ordinance 498, 2 October 2015, published in the Federal Official Gazette on 6 October 2015, section 01, page 100; and  III - Inmetro Ordinance 148, 7 June 2017, published in the Federal Official Gazette on 8 June 2017, section 01, page 113.
<b>7. Objective and rationale, including the nature of urgent problems where applicable:</b> Metrological requirements  Need to establish the criteria to be observed in the manufacture and use 100 mL graduated cylinders  Compliance with Decree No. 10139 of 28 November 2019, which provides for the need for revision and consolidation of normative acts, in order to reduce Brazilian regulatory stock
<b>8. Relevant documents:</b> 1) Brazilian Official Gazette 34 on 22 February 2021, section 1, page 50 2) Inmetro Ordinance 91, 19 February 2021 3) Decree No. 10.139 of 28 November

<p>2019</p> <p><a href="https://www.in.gov.br/en/web/dou/-/portaria-n-91-de-19-de-fevereiro-de-2021-304492350">https://www.in.gov.br/en/web/dou/-/portaria-n-91-de-19-de-fevereiro-de-2021-304492350</a></p> <p><a href="http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002705.pdf">http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002705.pdf</a></p> <p><a href="http://www.planalto.gov.br/ccivil_03/_ato2019-2022/2019/decreto/D10139.htm">http://www.planalto.gov.br/ccivil_03/_ato2019-2022/2019/decreto/D10139.htm</a></p>
<p><b>9. Proposed date of adoption:</b> Not applicable</p> <p><b>Proposed date of entry into force:</b> 01 March de 2021.</p>
<p><b>10. Final date for comments:</b> Not applicable</p>
<p><b>11. Texts available from: National enquiry point [X] or address, telephone and fax numbers and email and website addresses, if available, of other body:</b></p> <p><a href="http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002705.pdf">http://www.inmetro.gov.br/legislacao/rtac/pdf/RTAC002705.pdf</a></p>